

SAFETY DATA SHEET



**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1. Product identifier**

Trade name AcidClean  
**Product no:** 12258, 12259, 12265, 12274, 13130, 55683, 55794  
 Unique formula identifier (UFI) D5Y0-20HH-W00J-14PF

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

▼ Relevant identified uses of the substance or mixture Acidic CIP cleaning agent.  
 Restricted to professional users.  
 Uses advised against None known.

**1.3. Details of the supplier of the safety data sheet**

Company and address **Novadan ApS**  
 Platinvej 21  
 DK-6000 Kolding  
 Denmark  
 E-mail sds@novadan.dk  
 Revision 28/10/2024  
 SDS Version 7.0  
 Date of previous version 06/07/2023 (6.0)

**1.4. ▼ Emergency telephone number**

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)  
 General public:  
 England - Dial 111 to reach NHS 111 (24 hour service)  
 Scotland - Dial 112 to reach NHS 24 (24 hour service)  
 Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)  
 See section 4 "First aid measures".

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

Met. Corr. 1; H290, May be corrosive to metals.  
 Skin Corr. 1A; H314, Causes severe skin burns and eye damage.  
 Eye Dam. 1; H318, Causes serious eye damage.  
 Acute Tox. 4; H332, Harmful if inhaled.  
 The informations stated in this MSDS, applies for the concentrated product.

**2.2. Label elements**

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

May be corrosive to metals. (H290)  
 Causes severe skin burns and eye damage. (H314)  
 Harmful if inhaled. (H332)

Precautionary statement(s)

General

-

▼ Prevention

Do not breathe vapour/mist. (P260)

▼ Response	Wear eye protection/protective gloves/protective clothing/face protection. (P280) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. (P303+P361+P353) IF INHALED: Remove person to fresh air and keep comfortable for breathing. (P304+P340) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310)
▼ Storage	Store in a well-ventilated place. Keep container tightly closed. (P403+P233)
Disposal	-
Hazardous substances	Nitric acid
Additional labelling	EUH071, Corrosive to the respiratory tract.
	UFI: D5Y0-20HH-W00J-14PF
▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004	< 5% · Amphoteric surfactants

### 2.3. Other hazards

Undiluted, the product may be corrosive to metals.  
In contact with compounds containing chlorine, toxic gases may form. Generates strong heat in contact with alkaline compounds, risk of bumping.

▼ Additional warnings	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.
-----------------------	--

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Nitric acid	CAS No.: 7697-37-2 EC No.: 231-714-2 UK-REACH: Index No.: 007-004-00-1	15-25%	EUH071 Ox. Liq. 2, H272 Ox. Liq. 3, H272 Met. Corr. 1, H290 Skin Corr. 1A, H314 (SCL: 20.00 %) Eye Dam. 1, H318 Acute Tox. 3, H331 (ATE: 2.65 mg/L)	[1]
Phosphoric Acid	CAS No.: 7664-38-2 EC No.: 231-633-2 UK-REACH: Index No.: 015-011-00-6	1-3%	Met. Corr. 1, H290 Acute Tox. 4, H302 (ATE: 667.00 mg/kg) Skin Corr. 1B, H314 (SCL: 25.00 %) Skin Irrit. 2, H315 (SCL: 10.00 %) Eye Irrit. 2, H319 (SCL: 10.00 %)	[1]
Sulphuric acid	CAS No.: 7664-93-9 EC No.: 231-639-5 UK-REACH: Index No.: 016-020-00-8	<1%	Skin Corr. 1A, H314 (SCL: 15.00 %) Skin Irrit. 2, H315 (SCL: 5.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %)	[1]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

[1] European occupational exposure limit.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

General information	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation	Upon breathing difficulties or irritation of the respiratory tract: Bring the injured person into fresh air. Make sure the injured person is continuously monitored. Prevent shock by keeping the injured person warm and calm. If breathing ceases, give mouth-to-mouth resuscitation. If unconscious, roll the injured person into recovery position. Call an ambulance.
Skin contact	Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment. Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners. If skin irritation occurs: Get medical advice/attention.
Eye contact	If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.
Ingestion	In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.
Burns	Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:  
Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.  
Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.  
 Ensure adequate ventilation, especially in confined areas.  
 Avoid inhalation of vapours from spilled material.  
 Contaminated areas may be slippery.

## 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.  
 Keep unauthorized persons away from the spill

## 6.3. ▼ Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.  
 Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

## 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.  
 See section 8 "Exposure controls/personal protection" for protective measures.

# SECTION 7: HANDLING AND STORAGE

## 7.1. Precautions for safe handling

Avoid direct contact with the product.  
 Smoking, drinking and consumption of food is not allowed in the work area.  
 See section 8 "Exposure controls/personal protection" for information on personal protection.

## 7.2. ▼ Conditions for safe storage, including any incompatibilities

Protect from sunlight.  
 Keep away from food, drink and animal feeding stuffs

Shelf-life: 36 months.

Recommended storage material Always store in containers of the same material as the original container.

Storage conditions -20 - 35 °C

Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

## 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

Nitric acid

Short term exposure limit (15 minutes) (ppm): 1

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2,6

Phosphoric Acid

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 1

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2

Sulphuric acid

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 0,05 (Mist) (Thoracic fraction)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
 EH40/2005 Workplace exposure limits (Fourth Edition 2020).

## DNEL

Nitric acid

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1.3 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	2.6 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	1.3 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	2.6 mg/m <sup>3</sup>

#### Phosphoric Acid

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	360 µg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	1 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Inhalation	4.57 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	10.7 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	2 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	100 µg/kg bw/day

#### Sulphuric acid

Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	50 µg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	100 µg/m <sup>3</sup>

#### PNEC

No data available.

#### 8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios	There are no exposure scenarios implemented for this product.
Exposure limits	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
Appropriate technical measures	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.
▼ Hygiene measures	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.
Measures to avoid environmental exposure	Keep damming materials near the workplace. If possible, collect spillage during work.

#### Individual protection measures, such as personal protective equipment

Generally Use only UKCA marked protective equipment.


##### Respiratory Equipment

Type	Class	Colour	Standards	
In case of inadequate ventilation use suitable respirator - B+E/P3			EN143/EN149	

##### Skin protection


Recommended	Type/Category	Standards	
Dedicated work clothing - should be worn.	-	-	

##### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl rubber (≥0,7 mm). Neoprene (≥0,5 mm).	≥ 0,5 - 0,7	≥ 480	EN374	

##### Eye protection

Type	Standards
Safety glasses	EN166



## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Yellowish
Odour / Odour threshold	Sharp/pungent
pH	< 1,0
pH in solution	~ 2,0 (0,5 %)
Density (g/cm <sup>3</sup> )	~ 1,15
Kinematic viscosity	< 50 mPa.s
Particle characteristics	Does not apply to liquids.

#### Phase changes

▼ Melting point/Freezing point (°C)	No relevant or available data due to the nature of the product.
Softening point/range (°C)	Does not apply to liquids.
▼ Boiling point (°C)	No relevant or available data due to the nature of the product.
▼ Vapour pressure	No relevant or available data due to the nature of the product.
▼ Relative vapour density	No relevant or available data due to the nature of the product.
▼ Decomposition temperature (°C)	No relevant or available data due to the nature of the product.

#### Data on fire and explosion hazards

▼ Flash point (°C)	No relevant or available data due to the nature of the product.
▼ Flammability (°C)	No relevant or available data due to the nature of the product.
▼ Auto-ignition temperature (°C)	No relevant or available data due to the nature of the product.
▼ Lower and upper explosion limit (% v/v)	No relevant or available data due to the nature of the product.

#### Solubility

Solubility in water	Completely soluble
▼ n-octanol/water coefficient (LogKow)	No relevant or available data due to the nature of the product.
▼ Solubility in fat (g/L)	No relevant or available data due to the nature of the product.

### 9.2. Other information

VOC (g/L)	0
Other physical and chemical parameters	No data available.
▼ Oxidizing properties	Does not meet the criteria for oxidising.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 10.6. ▼ Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

### SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Product/substance	Nitric acid
Test method:	OECD 403
Species:	Rat, Wistar, male/female
Route of exposure:	Inhalation
Test:	LC50
Result:	> 2,65 mg/L
Other information:	Source: ECHA

Product/substance	Phosphoric Acid
Route of exposure:	Oral
Test:	LD50
Result:	667-714 mg/kg
Other information:	ATE

Product/substance	Phosphoric Acid
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	2740 mg/kg
Other information:	Source: Supplier SDS

Product/substance	Phosphoric Acid
Species:	Rat, male
Route of exposure:	Inhalation
Test:	LC50
Result:	3846 mg/m <sup>3</sup>
Other information:	Source: ECHA

Product/substance	Sulphuric acid
Test method:	OECD 401
Species:	Rat, Wistar
Route of exposure:	Oral
Test:	LD50
Result:	2140 mg/kg
Other information:	Source: ECHA

Product/substance	Sulphuric acid
Test method:	OECD 403
Species:	Rat, Fischer 344, male/female
Route of exposure:	Inhalation
Test:	LC50
Result:	344 mg/m <sup>3</sup>
Other information:	Source: ECHA

Product/substance	Sulphuric acid
Test method:	OECD 403
Species:	Mouse, male/female
Route of exposure:	Inhalation
Test:	LC50
Result:	~850 mg/m <sup>3</sup>
Other information:	Source: ECHA

Harmful if inhaled.

#### ▼ Skin corrosion/irritation

Product/substance	Phosphoric Acid
Duration:	No data available.
Result:	Adverse effect observed (Corrosive)
Other information:	Source: Supplier SDS

Product/substance	Sulphuric acid
Result:	Adverse effect observed (Corrosive)

Causes severe skin burns and eye damage.

#### ▼ Serious eye damage/irritation

Product/substance	Phosphoric Acid
Duration:	No data available.
Result:	Adverse effect observed (Causes serious eye damage)
Other information:	Source: ECHA

Product/substance	Sulphuric acid
Result:	Adverse effect observed (Corrosive)

Causes serious eye damage.

#### ▼ Respiratory sensitisation

Product/substance	Phosphoric Acid
Result:	No adverse effect observed (not sensitising)

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### Endocrine disrupting properties

No evidence for endocrine disrupting properties.

#### Other information

None known.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Product/substance	Nitric acid
Test method:	LC50
Species:	Fish, Fish
Compartment:	Freshwater
Duration:	96 hours



Test: LC50  
 Result: > 1000 mg/L  
 Other information: Source: ECHA

Product/substance Nitric acid  
 Species: Crustacean  
 Compartment: Marine water  
 Duration: 10 days  
 Test: EC50  
 Result: 1,7 g/L  
 Other information: Source: ECHA

Product/substance Nitric acid  
 Species: Crustacean  
 Compartment: Marine water  
 Duration: 10 days  
 Test: NOEC  
 Result: >419 mg/L  
 Other information: Source: ECHA

Product/substance Phosphoric Acid  
 Species: Fish, Lepomis macrochirus  
 Duration: 96 hours  
 Test: LC50  
 Result: 3-3,5 mg/L  
 Other information: Source: Supplier SDS

Product/substance Phosphoric Acid  
 Test method: OECD 201  
 Species: Algae, Desmodesmus subspicatus  
 Duration: 72 hours  
 Test: EC50  
 Result: > 100 mg/L  
 Other information: Source: Supplier SDS

Product/substance Phosphoric Acid  
 Test method: OECD 202  
 Species: Crustacean, Daphnia magna  
 Duration: 48 hours  
 Test: EC50  
 Result: > 100 mg/L  
 Other information: Source: Supplier SDS

Product/substance Sulphuric acid  
 Species: Fish, Lepomis macrochirus  
 Compartment: Freshwater  
 Duration: 96 hours  
 Test: LC50  
 Result: 16 to 28 mg/L  
 Other information: Source: ECHA

Product/substance Sulphuric acid  
 Test method: OECD 202  
 Species: Crustacean, Daphnia magna  
 Compartment: Freshwater  
 Duration: 48 hours  
 Test: EC50  
 Result: >100 mg/L  
 Other information: Source: ECHA

## 12.2. ▼ Persistence and degradability

This product mainly consists of inorganic compounds which are not biodegradable. The remaining compounds of the product are expected to be easily biodegradable.

Product/substance Nitric acid  
 Conclusion: Readily biodegradable

Product/substance Phosphoric Acid  
 Conclusion: Readily biodegradable

Product/substance Sulphuric acid  
Conclusion: Readily biodegradable

**12.3. Bioaccumulative potential**

The product is not bioaccumulating

**12.4. Mobility in soil**

No data available.

**12.5. ▼ Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

**12.6. Endocrine disrupting properties**

No evidence for endocrine disrupting properties.

**12.7. Other adverse effects**

None known.

**SECTION 13: DISPOSAL CONSIDERATIONS**

**13.1. ▼ Waste treatment methods**

Product is covered by the regulations on hazardous waste. (\*)

HP 6 - Acute toxicity

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Do not empty into drains; dispose of this material and its container at hazardous or special waste collection point.



Dispose of waste and residues in accordance with local authority requirements.

▼ EWC code 07 06 01\* Aqueous washing liquids and mother liquors

**▼ Contaminated packing**

▼ EWC code 15 01 10\* Packaging containing residues of or contaminated by dangerous substances

**SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)	Transport hazard class: 8 Label: 8 Classification code: C1 	II	No	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)	Transport hazard class: 8 Label: 8 Classification code: C1 	II	No	Limited quantities: 1 L EmS: F-A S-B See below for additional information.
IATA	UN3264	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Nitric acid)	Transport hazard class: 8 Label: 8 Classification code: C1	II	No	See below for additional information.

14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
-----------------	---------------------------------	--------------------------	-------------	---------------	-----------------------



\* Packing group

\*\* Environmental hazards

#### ▼ Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application	Restricted to professional users. People under the age of 18 shall not be exposed to this product.
Demands for specific education	No specific requirements.
SEVESO - Categories / dangerous substances	Not applicable.
Regulation on drug precursors	Sulphuric acid is included (Category 3)
Regulation on explosives precursors	Nitric acid (Annex I) Sulphuric acid (Annex I)
▼ Labelling of contents according to Detergents Regulation (EC) No 648/2004	< 5% · Amphoteric surfactants
Additional information	Not applicable.
Sources	The Management of Health and Safety at Work Regulations 1999. Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. The Controlled Drugs (Drug Precursors) Regulations 2008. Council Regulation (EC) No 2019/1148 on explosives precursors as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

### SECTION 16: OTHER INFORMATION

#### Full text of H-phrases as mentioned in section 3

H314, Corrosive to metal.  
H315, Irritant to skin.  
H317, May cause an allergic skin reaction.  
H332, Harmful if inhaled.  
H334, May cause respiratory irritation.  
H335, Irritating to the respiratory tract.  
H373, May cause long-term health effects.

H314, Causes severe skin burns and eye damage.  
H315, Causes skin irritation.  
H318, Causes serious eye damage.  
H319, Causes serious eye irritation.  
H331, Toxic if inhaled.

#### ▼ Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EINECS = European Inventory of Existing Commercial chemical Substances  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EuPCS = European Product Categorisation System  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
GWP = Global warming potential  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

#### The safety data sheet is validated by

IUBO

#### ▼ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en